

L Number	Hits	Search Text	DB	Time stamp
1	62018	"713"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:22
3	22372	"713" and (password\$ or catchword\$ or secret\$ or key)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:23
5	1039	("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:24
9	1039	((("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:31
10	1891	((("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value)) (add adj (trigger\$ or activat\$ or assailant\$ or begin\$))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:31
11	0	((("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value)) and (add adj (trigger\$ or activat\$ or assailant\$ or begin\$))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:31
12	1039	((("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:31
14	1	((("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value)) and (calculat\$ adj (new adj password))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:34
15	2	((("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value)) and (calculat\$ adj (password))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:41
16	162	((("713" and (password\$ or catchword\$ or secret\$ or key)) and (hash\$ adj value)) and (calculat\$ adj (hash adj value))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/28 08:42

7 and @ adj < refe before
7 and @ ad < 200011⁷29

L Number	Hits	Search Text	DB	Time stamp
13	191	(new adj3 password\$1) with (old adj3 password\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 09:54
14	124	((new adj3 password\$1) with (old adj3 password\$)) and @ad<20001129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 09:56
15	207	(calculat\$3 or generat\$3) with (new adj3 password\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 09:55
16	121	((calculat\$3 or generat\$3) with (new adj3 password\$1)) and @ad<20001129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 09:57

2004 0019808

L Number	Hits	Search Text	DB	Time stamp
13	191	(new adj3 password\$1) with (old adj3 password\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 09:54
14	124	((new adj3 password\$1) with (old adj3 password\$)) and @ad<20001129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:20
15	207	(calculat\$3 or generat\$3) with (new adj3 password\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 09:55
16	121	((calculat\$3 or generat\$3) with (new adj3 password\$1)) and @ad<20001129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 09:57
17	524	database\$1 same (log\$3 with (audit\$3))	USPAT; US-PGPUB	2004/04/28 10:20
18	157	(database\$1 same (log\$3 with (audit\$3))) and @ad<20001129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:20